

## MASTER ODYSSÉE chair

Aesthetics and  
great comfort



Premium seat of MASTER Industrie's range, its ergonomics and studied shape offer long term comfort.

Available in several different versions, this chair is suitable for the following uses:

- Retractable seating systems
- Fixed seats
- Beam-mounted moveable seats

**When opening, its backrest rises by 8 cm**, making its comfort even greater. Its armrests automatically fold together with its seat base.

When the retractable bleachers open, this seat **automatically** unfolds and locks in upright position via MASTER Industrie's specific mechanism.



MASTER ODYSSÉE  
Designed  
and manufactured  
entirely in France



\* See terms and conditions  
Warranty

## FEATURES

**For use as follows:** Hinged foot for retractable seating systems (rear-mounted)/ Moveable (beam-mounted)/Attached to the floor

**Operation:** Automatic or manual (pedal-operated)

**Attachment system:**

- For retractable seating systems: 2 self-tapping screws on the structure + 4 hinge screws on the decking
- On the ground: pivots and screws suitable for the surface

**Seat folding mechanism:** Automatic (gas-spring operated)

**The MASTER ODYSSEE chair complies with Article AM18 relating to the fire behaviour of upholstered chairs.**

## METAL FRAME

Tubular frame made using robot-assisted mechanical welding. Frame is made from laser-cut parts and machined axles for a precise finish

Automatic seat folding system (laser cut and machined parts, unlocking via cams mounted on ball bearings)

**Protective coating:** thermosetting paint. Standard colour: black (RAL 9005), other colours available, upon request

## BACKREST/SEAT

**Metallic structure** built into the backrest and seat, hinged on the chair's metal frame

**Wood frame** made of beech plywood, 13 mm thick, shaped to fit the entire width

High-resilience, high-comfort cut polyurethane **foam**, density of 35 to 45kg/M<sup>3</sup>, glued to the wooden frame

Ergonomic shape for maximum comfort

**Removable fabric** cover with zip

**Double-stitched** cover on the front of the backrest and the upper side of the seat cushion, for an elegant finish

**Heat-sealed foam-backed fabric**, 6 mm thick

## ARMREST

Laser-cut and robot-assembled hinged metal frame

**Automatic folding** (gas spring)

Stained and varnished wood

## OPTIONS

Choice of fabrics




Wooden casing behind the backrest and under the seat

Numbered seats





MASTER ODYSÉE FDG



LEA	CENTRE TO CENTRE DISTANCE:	500 A 600 MM	HA	SEAT HEIGHT:	450 MM
LAC	ARMREST WIDTH:	70 MM	HT	OVERALL HEIGHT:	835 MM
PAC	ARMREST DEPTH:	270 MM	HTD	UNFOLDED HEIGHT:	920 MM
LA	SEAT WIDTH:	420 A 520 MM	LFR	FOLDED UP DEPTH:	230 MM
EA	SEAT THICKNESS:	70 A 80 MM	LFD	OVERALL DEPTH:	670 MM
LD	BACKREST WIDTH:	450 A 550 MM	HR	FOLDED DOWN THICKNESS:	215 MM
ED	BACKREST THICKNESS:	70 MM	LR	FOLDED DOWN LENGTH:	830 MM





Next generation retractable seating systems

**MASTER INDUSTRIE** Zone Vendéopôle - 1, rue René Laënnec - 85130 LA VERRIE  
Tél. +33 (0)2 51 67 82 72 - Fax +33 (0)2 51 92 38 38 - e-mail : [master@master-industrie.com](mailto:master@master-industrie.com) - [www.master-industrie.com](http://www.master-industrie.com)

